

04/09/01
JC772 U.S. PTO

LAW OFFICES
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC
2100 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, DC 20037-3213
TELEPHONE (202) 293-7060
FACSIMILE (202) 293-7860
www.sughrue.com

J. Frank Osha, Esq.
Direct Dial (202) 663-7915
Email: fosha@sughrue.com

April 9, 2001

JC971 U.S. PTO
09/828237
04/09/01

BOX PATENT APPLICATION
Commissioner for Patents
Washington, D.C. 20231

Re: Application of Michihiro OHSUGE
MULTI-PATH DETECTING CIRCUIT AND SYSTEM
Our Ref. Q63851

Dear Sir:

Attached hereto is the application identified above including 23 sheets of the specification, including the claims and abstract, 6 sheets of drawings, the executed Assignment and PTO 1595 form, and the executed Declaration and Power of Attorney. Also enclosed is an Information Disclosure Statement and PTO form 1449 with 6 references, and a Preliminary Amendment.

The Government filing fee is calculated, **after entry of the Preliminary Amendment**, as follows:

Total claims	28 - 20	=	8	x	\$18.00	=	\$144.00
Independent claims	4 - 3	=	1	x	\$80.00	=	\$80.00
Base Fee							\$710.00
Multiple Dependent Claim Fee							\$270.00
TOTAL FILING FEE							\$1204.00
Recordation of Assignment							\$40.00
TOTAL FEE							\$1244.00

✓ Checks for the statutory filing fee of \$1204.00 and Assignment recordation fee of \$40.00 are attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from April 7, 2000 based on Japanese Application No. 106558/2000. The priority document is enclosed herewith.

Respectfully submitted,
SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
Attorneys for Applicant

By: J. Frank Osha
J. Frank Osha
Registration No. 24,625